

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/826,764	04/16/2004	Alan George Dry	1-74748	1214
27377 7:	590 . 07/20/2005		EXAMINER	
MACMILLAN, SOBANSKI & TODD, LLC ONE MARITIME PLAZA-FOURTH FLOOR 720 WATER STREET			COLETTA, LORI L	
			ART UNIT	PAPER NUMBER
TOLEDO, OH	43604		3612	
			DATE MAIL ED. 07/20/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 1-7 and 11-17 are rejected under 35 U.S.C. 102(b) as being anticipated by Bollaender et al. US 2002/0008415.

Regarding claim 1, Bollaender et al. '415 discloses an interior trim component (10) for a vehicle, said trim component comprising a body (12); and an article holder (18) having a support structure (52) for supporting an article, said article holder pivotally connected to said body and moveable between a storage position and a deployed position, wherein in the deployed position said support structure of said article holder is higher relative to a position of said support structure when said article holder is in the storage position.

Regarding claim 2, Bollaender et al. '415 discloses the interior trim component, wherein said article holder is removably mounted to said body.

Regarding claim 3, Bollaender et al. '415 discloses the interior trim component, wherein said body is an interior vehicle trim panel.

Regarding claim 4, Bollaender et al. '415 discloses the interior trim component, wherein said body includes a forward end and a rearward end, and said article holder is pivotally connected adjacent said forward end of said body.

Application/Control Number: 10/826,764

Art Unit: 3612

Regarding claim 5, Bollaender et al. '415 discloses the interior trim component, wherein said forward end of said body includes a recess, and wherein at least a portion of said article holder is disposed within said recess when said article holder is in the storage position.

Regarding claim 6, Bollaender et al. '415 discloses the interior trim component, wherein said body defines a vehicle console.

Regarding claim 7, Bollaender et al. '415 discloses the interior trim component, wherein said body includes a lid.

Regarding claim 11, Bollaender et al. '415 discloses the interior trim component, wherein in the deployed position said article holder is releasably connected to said lid, such that when said article holder is in the deployed position, movement of said lid causes said article holder to move.

Regarding clam 12, Bollaender et al. '415 discloses the interior trim component, wherein in the deployed position said support structure is forward relative to a position of said support structure when said article holder is in the storage position.

Regarding claim 13, Bollaender et al. '415 discloses the interior trim component, wherein said support structure includes a wall defining a cavity for supporting an article.

Regarding claim 14, Bollaender et al. '415 discloses the interior trim component, wherein said support structure is a clip for securing an article to said article holder.

Regarding claim 15, Bollaender et al. '415 discloses the interior trim component, wherein the clip is spring biased.

Application/Control Number: 10/826,764

Art Unit: 3612

Regarding claim 16, Bollaender et al. '415 discloses the interior trim component, further including a latching mechanism (40) for releasably latching said article holder in the deployed position.

Regarding claim 17, Bollaender et al. '415 discloses the interior trim component, wherein said latching mechanism is disposed between said body and said article holder.

3. Claims 1, 2, 8, 19 and 20 are rejected under 35 U.S.C. 102(b) as being anticipated by Anderson et al. 6,139,996.

Regarding claim 1, Anderson et al. '996 discloses an interior trim component for a vehicle, said trim component comprising a body; and an article holder having a support structure for supporting an article, said article holder pivotally connected to said body and moveable between a storage position and a deployed position, wherein in the deployed position said support structure of said article holder is higher relative to a position of said support structure when said article holder is in the storage position.

Regarding claim 2, Anderson et al. '996 discloses the interior trim component, wherein said article holder is removably mounted to said body.

Regarding claim 8, Anderson et al. '996 discloses the interior trim component, wherein said lid is pivotally connected to said body.

Regarding claim 19, Anderson et al. '996 discloses a console assembly for a vehicle, said console assembly comprising a console body having a lid, said lid pivotally connected to said console body; and an article holder having a support structure for supporting an article; wherein said article holder is pivotally connected to said console body and movable between a storage position and a deployed position; wherein in the deployed position of said support structure of

Art Unit: 3612

said article holder is higher to a position of said support structure when said article holder is in the storage position; and wherein in the deployed position said article holder is releasably connected to said lid, such that when said article holder is in the deployed position, movement of said lid causes said article holder to move.

Regarding claim 20, Anderson et al. '996 discloses the console assembly, wherein said article holder is removably mounted to said console body.

Allowable Subject Matter

- 4. Claims 9, 10 and 18 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.
- 5. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

The cited references show several other interior trim components similar to that of the current invention.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lori L. Coletta whose telephone number is 571-272-6658. The examiner can normally be reached on Monday-Friday 7:30am-4:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn Dayoan can be reached on 571-272-6659. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/826,764

Art Unit: 3612

Page 6

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Loui d. Coletta

Lori L. Coletta Primary Examiner Art Unit 3612

llc

July 12, 2005